


THRACE GROUP



SOLUTIONS FOR AGRICULTURAL PACKAGING, RURAL APPLICATIONS & FISHING



AGRICULTURE • HORTICULTURE • AQUACULTURE

**PROVIDING
SOLUTIONS
SINCE 1977**

www.thracegroup.com

PROVIDING AGRICULTURAL SOLUTIONS SINCE 1977

We know from the inside the requirements of agricultural production and we acknowledge that each harvest is precious. Thus, we offer to the Greek farmer fabrics and nets of high specifications, certified by the top international organisations.

Quality products for every agricultural need: this is the stance of THRACE GROUP for several decades now, ensuring that you always have a reliable partner by your side.

TABLE OF CONTENTS

2 - 3	OLIVE COLLECTION NETS
4	PROTECTION NETS
5 - 7	SHADING NETS
8	SCAFFOLDING NETS
9	OLIVE COLLECTION FABRICS / ROOT BARRIER
10	CROPCOVER / WEATHER PROTECTION COVER
11	GROUNDCOVER
12	PP LIGHT FABRIC
13	MEMBRANES
14	PE FILMS & BAGS PE
15 - 19	GENERAL USE ROPES / TWINES
20 - 22	FISHING ROPES
23 - 24	PP WOVEN BAGS
25	BIG BAGS

LIST OF SYMBOLS

 ANTIHAIL	 SHADING
 ANTIFROST	 CONSTRUCTIONS
 WINDBREAKER	 UV STABILISER
 OLIVE COLLECTION	 BIRD PROTECTION
 COLOUR	 INSECT PROTECTION



NETS

FABRICS (WOVEN, NONWOVEN & GEOTEXTILES)

PLASTIC FILMS





OLIVE COLLECTION NETS | VERATTINA



TYPE	74 B Monofilament
WIDTH (m)	4 / 5 / 6 / 7 / 8
LENGTH (m)	100 / 300
DIMENSIONS (pcs)	5x8, 5x10, 5x12, 6x8, 6x10, 6x12, 7x12, 8x12, 8x14
WEIGHT (gr/m ²)	110
COLOUR	Green
MATERIAL	Polyethylene HDPE 100% with reinforced ends (selvages), non-tear, applies firmly on ground
UV STABILISER	5 years
SHADING	45%
USE	Olive harvesting, shading, windbreaker
PACKAGING	Rolls, pieces on pallet



OLIVE COLLECTION NETS | ANTISPINA




TYPE	74 S Monofilament
WIDTH (m)	4 / 5 / 6 / 7 / 8
LENGTH (m)	100 / 300
DIMENSIONS (pcs)	5x8, 5x10, 5x12, 6x8, 6x10, 6x12, 7x12, 8x12, 8x14
WEIGHT (gr/m ²)	100
COLOUR	Green
MATERIAL	Polyethylene HDPE 100% with reinforced ends (selvages), non-tear, applies firmly on ground
UV STABILISER	5 years
SHADING	40%
USE	Olive harvesting, shading, windbreaker
PACKAGING	Rolls, pieces on pallet

Approved for contact with foodstuffs (EU regulation 10/2011)



OLIVE COLLECTION NETS | ATHENA



TYPE	74 B Monofilament
WIDTH (m)	2 / 6 / 7 / 8
LENGTH (m)	300
DIMENSIONS (pcs)	5x8, 5x10, 5x12, 6x8, 6x12, 7x12, 8x12, 8x14
WEIGHT (gr/m ²)	85
COLOUR	Green
MATERIAL	Polyethylene HDPE 100% with reinforced ends (selvages), non-tear, applies firmly on ground
UV STABILISER	5 years
SHADING	35%
USE	Olive harvesting, shading, wind breaker
PACKAGING	Rolls, pieces on pallet




PERMANENT OLIVE COLLECTION NET



TYPE	74 Q Quatro
WIDTH (m)	2 / 2.5 & 4 / 5 / 6 (folded in two)
LENGTH (m)	50, 65, 80, 100
WEIGHT (gr/m ²)	60
COLOUR	Black
MATERIAL	Polyethylene HDPE 100% with reinforced ends (selvages), non-tear, applies firmly on ground
UV STABILISER	5 years
USE	Permanent application for fruit harvesting (olives, figs, almonds, peanuts)
PACKAGING	Rolls

Approved for contact with foodstuffs (EU regulation 10/2011)





ANTIHAİL



TYPE	74 Q Quatro
WIDTH (m)	2 / 2.20 / 2.30 / 2.40 / 2.50 / 2.60 / 2.70 / 2.80 / 3.00
LENGTH (m)	50, 100, 200
WEIGHT (gr/m ²)	70
COLOUR	Black, White
MATERIAL	Polyethylene HDPE 100% with reinforced ends (selvages), non-tear, applies firmly on ground
UV STABILISER	5 years
SHADING	Black 25% - White 15%
USE	Protection of crops from hail (vines, kiwis, pomes, stone fruit, pomegranate trees, cherry trees)
PACKAGING	Rolls


Approved by the Hellenic Organization of Agricultural Insurances with a guarantee up to 12 years. Available in additional dimensions & weights upon special request.



WINDBREAKER



TYPE	74 Q Monofilament
WIDTH (m)	3
LENGTH (m)	200
WEIGHT (gr/m ²)	90
COLOUR	White, Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	White 15% - Dark green 25%
USE	Windbreaker (watermelon crops, banana crops in outdoor greenhouses, cages & screens)
PACKAGING	Rolls




BIRD PROTECTION



TYPE	74 Q Monofilament
WIDTH (m)	4
LENGTH (m)	100
WEIGHT (gr/m ²)	30
COLOUR	Green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	5%
USE	Protection of agricultural products (fruit) from birds (vines, cherries etc)
PACKAGING	Rolls



SHADING




TYPE	74 V Tape
WIDTH (m)	2 / 3 / 4 / 5 / 6 / 8
LENGTH (m)	100
WEIGHT (gr/m ²)	30
COLOUR	Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	25%
USE	Protection of vegetables & plants, shade structures
PACKAGING	Rolls

Available only upon special request.




SHADING



TYPE	74 V Tape
WIDTH (m)	2 / 3 / 4 / 5 / 6 / 8
LENGTH (m)	100
WEIGHT (gr/m ²)	35
COLOUR	Light green, Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	Light green 25% - Dark green 35%
USE	Protection of vegetables & plants, shade structures
PACKAGING	Rolls



SHADING



TYPE	74 V Tape
WIDTH (m)	2 / 3 / 4 / 5 / 6 / 8
LENGTH (m)	100
WEIGHT (gr/m ²)	45
COLOUR	Light green, Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	Light green 35% - Dark green 45%
USE	Protection of vegetables (tomato, pepper), shade structures
PACKAGING	Rolls





SHADING



TYPE	74 V Tape (with buttonholes)
WIDTH (m)	2 / 4
LENGTH (m)	100
WEIGHT (gr/m ²)	60
COLOUR	Light green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	50%
USE	Protection of vegetables & plants, shade structures, scaffolding
PACKAGING	Rolls



SHADING



TYPE	74 V Tape
WIDTH (m)	2 / 3 / 4 / 5 / 6 / 8
LENGTH (m)	100
WEIGHT (gr/m ²)	70
COLOUR	Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	50%
USE	Protection of vegetables & plants, shade structures, snail farms
PACKAGING	Rolls




SHADING



TYPE	74 T Tape
WIDTH (m)	3 / 6
LENGTH (m)	50
WEIGHT (gr/m ²)	120
COLOUR	Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	80%
USE	Protection of vegetables & plants, shade structures, snail farms
PACKAGING	Rolls



SHADING



TYPE	74 T Tape
WIDTH (m)	1 / 2 / 3 / 4 / 5 / 6
LENGTH (m)	50
WEIGHT (gr/m ²)	150
COLOUR	Light green, Dark green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	Light green 80% - Dark green 90%
USE	Protection of vegetables & plants, shade structures, snail farms
PACKAGING	Rolls



SHADING




TYPE	74 Q Monofilament
WIDTH (m)	3 / 4
LENGTH (m)	100
WEIGHT (gr/m ²)	160
COLOUR	Green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	60%
USE	Shading, windbreaker
PACKAGING	Rolls

Available upon special request in different colours




GREENHOUSE INSECT PROTECTION



TYPE	74 E Monofilament
WIDTH (m)	1 / 1.20
LENGTH (m)	100
WEIGHT (gr/m ²)	100 / 115 / 120
COLOUR	White
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
USE	Protection of greenhouses & open-air cultivations from pests (tuta absoluta, aleyrodidae, blight)
PACKAGING	Rolls





PROTECTION / SCAFFOLDING



TYPE	74 R Monofilament
WIDTH (m)	2 / 4
LENGTH (m)	50 / 100
WEIGHT (gr/m ²)	80
COLOUR	Green
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	30%
USE	Scaffolding protection, windbreaker
PACKAGING	Rolls



ROAD SAFETY




TYPE	74 Q Monofilament
WIDTH (m)	1
LENGTH (m)	50
WEIGHT (gr/m ²)	100
COLOUR	Orange with fluorescent yellow stripes
MATERIAL	Polyethylene HDPE 100%
UV STABILISER	5 years
SHADING	25%
USE	Road construction signposting, danger signaling
PACKAGING	Rolls

All nets are available in different lengths & colours upon special request.
The company reserves the right to modify the technical specifications of its products, without any prior notice.




OLIVE COLLECTION FABRICS



TYPE	75 DE
DIMENSIONS	4x6 / 4x8 / 4x10 / 5x8 / 5x10 / 5x12 / 6x10 / 6x12
WEIGHT (gr/m ²)	100
COLOUR	Beige
MATERIAL	PP - 100% high quality polypropylene
USE	Collection of olives, peanuts & almonds
PACKAGING	35 - 120 pieces/pallet, depending on dimension

ROOT BARRIER



TYPE	Root Barrier
WIDTH (m)	0.65 / 1.00 / 2.00
WEIGHT (gr/m ²)	340
COLOUR	Black
MATERIAL	PP / PE
USE	Protection against the uncontrolled expansion of roots
PACKAGING	Rolls of 25 & 50 m

The company reserves the right to modify the technical specifications of its products, without any prior notice.





CROPCOVER



TYPE	71 NW Cropcover
WIDTH (m)	1.60 / 3.20 / 6.10
LENGTH (m)	500
WEIGHT (gr/m ²)	18
COLOUR	White
MATERIAL	PP – 100% high quality polypropylene
USE	Frost protection for plants, flowers, saplings
PACKAGING	Rolls



WEATHER PROTECTION COVER




TYPE	75 DE
DIMENSIONS (m)	10.40x12.50 / 10.40x25
WEIGHT (gr/m ²)	140
COLOUR	Green
MATERIAL	PP – 100% high quality polypropylene
USE	Protection of straw bales & sugar beets during outdoor storage, protection of indoors stored goods
PACKAGING	3 - 6 pieces/pallet, depending on dimension

The company reserves the right to modify the technical specifications of its products, without any prior notice.



GROUNDCOVER



TYPE	7D Groundcover
WIDTH (m)	1.05 / 2.10 / 3.30 & 4.20 / 5.25 (folded in two)
LENGTH (m)	100
WEIGHT (gr/m ²)	100
COLOUR	Black, White, Green / 15x15 cm squares
MATERIAL	PP – 100% high quality polypropylene
UV STABILISER	Black - 5 years, white - 2 years, green - 3 years
USE	Protection of crops from pests, support to new cultivations
PACKAGING	Rolls



MULCHING




TYPE	Mulching
WIDTH (m)	0.8 / 1 / 1.6
LENGTH (m)	200
WEIGHT (gr/m ²)	50 - 120
COLOUR	Black
MATERIAL	PP – 100% high quality polypropylene
UV STABILISER	3 years
USE	Protection of crops from pests, support to new cultivations
PACKAGING	Rolls

Also available upon request in: Brown, Black-Brown, Black-Green, Black-White

The company reserves the right to modify the technical specifications of its products, without any prior notice.





PP LIGHT FABRIC



TYPE	71 L
WIDTH (m)	1 / 2.16
LENGTH (m)	100 / 500
WEIGHT (gr/m ²)	80
COLOUR	White
MATERIAL	PP - 100% high quality polypropylene
USE	Surface cover in building sites, banner construction, bedding etc
PACKAGING	Rolls



PP LIGHT FABRIC



TYPE	72 L
WIDTH (m)	1.5 / 2 & 4 / 5 (folded in two)
LENGTH (m)	100 / 50
WEIGHT (gr/m ²)	100
COLOUR	Beige
MATERIAL	PP - 100% high quality polypropylene
USE	Surface cover in building sites, banner construction etc
PACKAGING	Rolls

The company reserves the right to modify the technical specifications of its products, without any prior notice.



ROOFING MEMBRANES | High Vapour Permeability



TYPE	75 NW of High Vapour Permeability
WIDTH (m)	1 / 1.5
LENGTH (m)	50
WEIGHT (gr/m ²)	125
COLOUR	Grey
MATERIAL	PP - 100% high quality polypropylene
UV STABILISER	Max 4 months until application
USE	Roof sealing, protection of constructions from rain, snow, dust
PACKAGING	Rolls



ROOFING MEMBRANES | Sealing



TYPE	75 NW of Sealing
WIDTH (m)	1 / 1.5
LENGTH (m)	50
WEIGHT (gr/m ²)	116
COLOUR	Black
MATERIAL	PP - 100% high quality polypropylene
UV STABILISER	Max 4 months until application
USE	Roof sealing, protection of constructions from rain, snow, dust
PACKAGING	Rolls

The company reserves the right to modify the technical specifications of its products, without any prior notice.


FILM PE | GENERAL USE



TYPE	General use film
FEATURES	Thickness 150 µm, double-width
ROLL WIDTH (m)	Up to 1.5 m
TOTAL WIDTH (m)	2 / 3 / 4 / 5
ROLL LENGTH (m)	≈ 178 / 120 / 90 / 70
ROLL WEIGHT (kg)	≈ 50 kg gross weight
COLOUR	Transparent, Tile red
MATERIAL	High quality PE
USE	Domestic, agricultural, industrial
PACKAGING	Rolls

Also available at 200 µm thickness upon special request


PE BAG | CONSTRUCTION & AGRICULTURAL USE



TYPE	General Use PE bag
FEATURES	Thickness 150 µm
DIMENSIONS	32x68 (transparent, milky white) & 40x60 (transparent)
COLOUR	Transparent, Milky white
MATERIAL	High quality PE
USE	Packaging of lime, aggregates and agricultural products
PACKAGING	Pack of ≈ 25kg

Also available at different sizes upon special request

FILM PE | AGRICULTURAL USE



TYPE	Groundcover sheet
FEATURES	Thickness 20 µm, single-sheet
ROLL WIDTH (m)	1 / 1.20
ROLL LENGTH (m)	≈ 1800 m
ROLL WEIGHT (Kg)	≈ 30 - 45 kg (gross weight, depending on width)
COLOUR	Transparent, Black
MATERIAL	High quality PE
USE	Prevents water evaporation & pest development, maintains ground temperature
PACKAGING	Rolls



CORDS
TWINES
ROPES



ARBORICULTURE CORD



TYPE	70 P plastic cord
EXTERNAL DIAMETER (mm)	2.5 / 3 / 4 / 5
COLOUR	Green, Yellow
MATERIAL	PVC
UV STABILISER	Yes
USE	Tying trees & branches
PACKAGING	1 kg or 2 kg skein in packs of 12 pieces



GREENHOUSE TWINE



TYPE 71 Z	MATERIAL	COLOUR	UV PROTECTION	DENIER	METERS/kg	WEIGHT/REEL (kg)	PACKAGING (NO. OF REELS)
700 - 150	PP	Light green	Yes	6000	1500	1/2	24
701 - 150	PP	Light green	Yes	6000	1500	1	12
702 - 151	PP	Light green	Yes	6000	1500	2	6
700 - 120	PP	Light green	Yes	7500	1200	1/2	24
701 - 120	PP	Light green	Yes	7500	1200	1	12
702 - 120	PP	Light green	Yes	7500	1200	2	6
701 - 100	PP	Light green	Yes	9000	1000	1	12
702 - 100	PP	Light green	Yes	9000	1000	2	6

The company reserves the right to modify the technical specifications of its products, without any prior notice.



PACKAGING TWINE



TYPE 71 Z	MATERIAL	COLOUR	DENIER	METERS/kg	WEIGHT/REEL (kg)	PACKAGING (NO. OF REELS)
501 - 150	PP	White	6000	1500	1	12
502 - 150	PP	White	6000	1500	2	6
500 - 120	PP	White	7500	1200	1/2	24
501 - 120	PP	White	7500	1200	1	12
502 - 120	PP	White	7500	1200	2	6
130 - 060	PP	White	15000	600	1/2	24
131 - 060	PP	White	15000	600	1	12
132 - 060	PP	White	15000	600	2	6
135 - 032	PP	White	40000	320	5	2

Also available in black and yellow.



BALERTWINE



TYPE 71 Z	MATERIAL	COLOUR	UV PROTECTION	DENIER	METERS/kg	WEIGHT/REEL (kg)	PACKAGING (NO. OF REELS)
200	PP	White	Yes	45000	200	6	2
350	PP	Light blue	Yes	32000	270	5	2

The company reserves the right to modify the technical specifications of its products, without any prior notice.





PP TWISTED RAFFIA TYPE




PP TWISTED RAFFIA TYPE	TYPE 71Q	MATERIAL	DIAMETER (mm)	STRANDS	COLOUR	BREAKING STRENGTH (kg ±15%)	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
	3	PP	3	3	White	126	214	4.7	1000
3.5	PP	3.5	3	White	135	167	4.2	700	
4	PP	4	3	White	180	140	4.3	600	
4.5	PP	4.5	3	White	225	120	4.2	500	
5	PP	5	4	White	324	75	3.6	300	
6	PP	6	4	White	432	60	4.2	250	
8	PP	8	4	White	756	36	5.6	200	
10	PP	10	4	White	1080	22	6.0	150	
12	PP	12	4	White	1620	20	6.0	100	
14	PP	14	4	White	1980	13	7.3	100	
16	PP	16	4	White	2376	10	8.8	100	
18	PP	18	4	White	3780	8	14.0	100	
20	PP	20	4	White	4224	6	17.1	110	
22	PP	22	4	White	4992	5	18.5	110	
24	PP	24	4	White	5760	4	23.4 / 12.35*	110	
26	PP	26	4	White	6528	3.5	26.8	110	

*Depending on the rope's Denier

Also available in beige, yellow, black.

PP BRAIDED



PP BRAIDED	TYPE 73 Q	MATERIAL	DIAMETER (mm)	COLOUR	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
	3	PP	3	White with blue - red stripes	140	8 - 9	1300
4	PP	4	White with blue - red stripes	110	8 - 9	1000	
5	PP	5	White with blue - red stripes	80	9	720	
6	PP	6	White with blue - red stripes	55	9 - 10	520	
8	PP	8	White with blue - red stripes	35	9 - 10	330	
10	PP	10	White with blue - red stripes	22	10	210	
12	PP	12	White with blue - red stripes	17	10	170	
14	PP	14	White with blue - red stripes	11	10	110	
16	PP	16	White with blue - red stripes	10	10	100	
18	PP	18	White with blue - red stripes	7	11	75	
20	PP	20	White with blue - red stripes	6	11	65	
22	PP	22	White with blue - red stripes	5	11	55	
24	PP	24	White with blue - red stripes	4	11	40	

The company reserves the right to modify the technical specifications of its products, without any prior notice.





PP TWISTED RAFFIA TYPE



FISHING PPTWISTED RAFFIA TYPE	TYPE 71 Q	MATERIAL	DIAMETER (mm)	STRANDS	COLOUR	BREAKING STRENGTH (kg±15%)	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
	3	PP	3	3	Light Green	126	214	4.7	1000
	4	PP	4	3	Light Green	180	140	4.3	600
	4.5	PP	4.5	3	Light Green	225	120	4.2	500
	5	PP	5	4	Light Green	360	75	3.6	300
	6	PP	6	4	Light Green	432	60	4.2	250
	8	PP	8	4	Light Green	756	36	5.6	200

Also available in beige, yellow, black.

PP BRAIDED VERAMAN



PP BRAIDED VERAMAN	TYPE 73 Q	MATERIAL	DIAMETER (mm)	COLOUR	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
	3	PP	3	Veraman	140	8 - 9	1300
	4	PP	4	Veraman	110	8 - 9	1000
	4.5	PP	4.5	Veraman	90	8 - 9	850
	5	PP	5	Veraman	80	8 - 9	720
	5.5	PP	5.5	Veraman	65	8 - 9	620
	6	PP	6	Veraman	55	8 - 9	520
	7	PP	7	Veraman	45	9 - 10	420
	8	PP	8	Veraman	35	9 - 10	330
	10	PP	10	Veraman	22	10	210
	12	PP	12	Veraman	17	10	170
14	PP	14	Veraman	11	10	110	

The company reserves the right to modify the technical specifications of its products, without any prior notice.





PP BRAIDED KYKLADES



TYPE 73 Q	MATERIAL	DIAMETER (mm)	COLOUR	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
4	PP	4	Blue multi coloured	110	8 - 9	1000
4.5	PP	4.5	Blue multi coloured	90	8 - 9	850
5	PP	5	Blue multi coloured	80	8 - 9	720
6	PP	6	Blue multi coloured	55	8 - 9	520
8	PP	8	Blue multi coloured	35	9 - 10	330



PP MONOFILAMENT DELOS



TYPE 73 Q	MATERIAL	DIAMETER (mm)	COLOUR	BREAKING STRENGTH (kg±15%)	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
4	PE	4	Orange	150	140	2.8	300
8	PE	8	Orange	320	35	7.5	200
10	PE	10	Orange	470	24	8.5	300



BRAIDED NON-FLOATING POLYESTER (PET)




TYPE 73 Q	MATERIAL	DIAMETER (mm)	COLOUR	≈ METERS/kg	≈ WEIGHT/REEL (kg)	≈ METERS/REEL
3	PET	3	White (blue-red)	114	7	800
4	PET	4	White (blue-red)	56	8	450
5	PET	5	White (blue-red)	39	9	350
6	PET	6	White (blue-red)	33	9	300
8	PET	8	White (blue-red)	20	20	400
10	PET	10	White (blue-red)	13	20	250
12	PET	12	White (blue-red)	9	22	200
14	PET	14	White (blue-red)	6	27	170
16	PET	16	White (blue-red)	5	28	145
18	PET	18	White (blue-red)	4	35	145



WOVEN BAGS

BIG BAGS

PP WOVEN BAGS



PP WOVEN BAGS	TYPE	DIMENSIONS (cm)	COLOUR	PACKAGING
	Unhemmed printed	Upon request	White	5000 pieces/pallet
	Potato sack	50 x 82 & 52 x 80	Orange	1000 pieces/pack
	Hemmed unprinted	48 x 75	White	1000 pieces/pack
	Hemmed unprinted	55 x 85	White	1000 pieces/pack
	Hemmed unprinted	55 x 90	White	1000 pieces/pack
	Hemmed unprinted	55 x 95	White	1000 pieces/pack
	Hemmed unprinted	55 x 100	White	1000 pieces/pack
	Hemmed unprinted	55 x 105	White & Beige (three-striped)	1000 pieces/pack
	Hemmed unprinted	60 x 110	White	1000 pieces/pack
	Hemmed unprinted	63 x 112	White & Beige	1000 pieces/pack
	Hemmed unprinted	67 x 112	Beige (three-striped)	1000 pieces/pack
	Hemmed unprinted	95 x 135	Beige (three-striped)	1000 pieces/pack


The company reserves the right to modify the technical specifications of its products, without any prior notice.

1 & 4 LOOP BIG BAGS



Big Bags are used for materials such as:
 Chemicals, Industrial Minerals, Petrochemicals, Fertilisers, Argil, Quartz, Bentonite, PVC-PP-PE, Cement, Ceramics, Lime, Aggregates, Salts, Animal Feed, Foodstuffs, Milk powder, Salt, Sugar, Citrus fruits, Propagating materials.

BIG BAGS BASIC TYPES	CODE	DIMENSIONS (cm)	TOP	BASE		SUSPENSION		COLOUR	PACKAGING (Items/pallet)
				FLAT	SPOUT	4-LOOP	1-LOOP		
	1422	80 x 80 x 80	Open hemmed	•	-	•	-	White	575
	1104	80 x 80 x 80	Open hemmed	-	Ø35x50	•	-	White	450
	1569	85 x 85 x 85	Open hemmed	•	-	•	-	White	525
	1568	85 x 85 x 85	Open hemmed	-	Ø35x50	•	-	White	450
	1495	91 x 91 x 60	Open hemmed	•	-	•	-	White	465
	1147	91 x 91 x 60	Open hemmed	-	Ø35x50	•	-	White	465
	1109	91 x 91 x 90	Open hemmed	•	-	•	-	White	440
	1085	91 x 91 x 90	Open hemmed	-	Ø35x50	•	-	White	400
	1086	91 x 91 x 120	Open hemmed	•	-	•	-	White	375
	1139	91 x 91 x 120	Open hemmed	-	Ø35x50	•	-	White	335
	1734	90 x 90 x 180	Open hemmed	-	Ø35x50	•	-	White	275
	14049	70 x 70 x 125 + 45 Liner	Open (V)	•	-	-	√(600kg)	White	400
	14013	80 x 80 x 115 + 45 Liner	Open (V)	•	-	-	√(850kg)	White	250
	14015	90 x 90 x 110 + 45 Liner	Open (V)	•	-	-	√(1000kg)	White	250



SUGGESTIONS FOR THE PROPER STORAGE OF THRACE GROUP PRODUCTS

Inappropriate storage conditions may lead to the alteration of the products' stated functional features as well as of their lifespan. The following instructions provide some precautions that should be taken into consideration in order to minimise product wear and tear or alteration.

TEMPERATURE:

The optimal temperature for the storage of the products is 20°C, away from chemicals or flammable materials, in the shade, not in direct contact with the sun.

CONTACT WITH OTHER MATERIALS:

The products should not come into contact with chemicals, toxic liquids, mineral oils and acids that affect their composition.

STORAGE CONDITIONS:

The products must be stored in conditions free of pressures or other strains, away from sharp items that may pierce or cut them. It is preferable to keep them dry on special shelves and surfaces. In any case, two pallets cannot be one on top of the other for a time period longer than their transport period. Packaging should not be destroyed prior to product use and it is advisable to be recycled after use for environmental purposes.

RODENTS:

The products must be protected from rodents. In the event of such danger, the necessary precautions should be taken.

RULES AND USAGE METHODS FOR THRACE GROUP PRODUCTS:

Having selected the appropriate product, users should be aware of the following:

TRANSPORT:

The products must be transferred with caution, avoiding hits, compressions and dragging on rough surfaces. They should not be subjected to forced transfer when rotating or when impeded by some item.

TEMPERATURE:

The products should be used under the indicated temperature levels. In case of any doubt, you can contact the manufacturer.

USE:

Product use should be related to the application upon manufacturing. In case of any doubt, we advise you to contact the manufacturer. In the event of dangers, special precautions should be taken.

ENVIRONMENT:

The products should be used exclusively under the environmental conditions for which they have been manufactured.

MANUFACTURER'S LIABILITY

THRACE GROUP guarantees that its products are manufactured in accordance with the product specifications mentioned and meet the respective requirements. In case of discrepancy between the product and the technical product features and specifications, the product is replaced up to its purchase value.

Damages due to non-compliance with the technical advice and guidance and to improper transportation, storage and use, do not create obligations on the manufacturer's side.

GENERAL TERMS OF COOPERATION

1. Clients bear the responsibility and cost of product transport (unless otherwise agreed).
2. Product returns are accepted by the company only following consultation-approval (within 15 days from invoice issuance).
3. Bank transfers are recognized only by sending to our company via fax the transfer slip and the name of the depositor.

ORDERS

For more information and/or orders visit our website:

www.thracegroup.com

AMONG THE TOP PRODUCERS **OF TECHNICAL FABRICS**
& **PACKAGING SOLUTIONS** IN THE WORLD



14 FACTORIES

1,600
EMPLOYEES

1,800
CLIENTS WORLDWIDE

28 DISTINCT PRODUCTION
TECHNOLOGIES

BUSINESS ACTIVITY IN COUNTRIES
12 COUNTRIES

● PRODUCTION/DISTRIBUTION

www.thracegroup.com

ATHENS HEADQUARTERS: 20 Marinou Antypa st., 17455 Alimos, Athens, Greece. T: +30 210 9875000 F: +30 210 9875001
PRODUCTION FACILITIES: Magiko, 67100 Xanthi, Greece. T: 25410 45600 F: 25410 45657

www.thracegroup.com